

```
100 !----- ^EHEAD -----  
200 LET TEXT$ = "CONNECT mail." + ZEDOMS + " MAIL"  
300 PRINT (EMAIL) TEXT$  
400 LET TEXT$ = "HELO " + ZEDOMS  
500 PRINT (EMAIL) TEXT$  
600 LET EMFROM$ = STRIP(EMFROMS)  
700 LET EMFNAMES = STRIP(EMFNAMES)  
800 LET EMTNAMES = STRIP(EMTNAMES)  
900 LET EMTOS = STRIP(EMTOS)  
1000 LET TEXT$ = "MAIL FROM: " + EMFROMS  
1100 PRINT (EMAIL) TEXT$  
1200 LET TEXT$ = "RCPT TO: " + EMTOS  
1300 PRINT (EMAIL) TEXT$  
1400 LET TEXT$ = "DATA"  
1500 PRINT (EMAIL) TEXT$  
1600 LET TEXT$ = "Date: " + NUM2DATE(DATE2NUM(DATES, 0), 4)  
1700 PRINT (EMAIL) TEXT$  
1800 LET TEXT$ = "From: " + ' ' + EMFNAMES + ' ' + " <" + EMFROMS + ">"  
1900 PRINT (EMAIL) TEXT$  
2000 LET TEXT$ = "Reply-To: " + ' ' + EMFNAMES + ' ' + " <" + EMFROMS  
2100 LET TEXT$ = TEXT$ + ">"  
2200 PRINT (EMAIL) TEXT$  
2300 LET TEXT$ = "To: " + ' ' + EMTNAMES + ' ' + " <"  
2400 LET TEXT$ = TEXT$ + EMTOS + ">"  
2500 PRINT (EMAIL) TEXT$  
2600 LET TEXT$ = "Subject: " + STRIP(EMTSUBJS) + ' ' + EMREFS  
2700 PRINT (EMAIL) TEXT$  
2800 LET TEXT$ = "MIME-Version: 1.0"  
2900 PRINT (EMAIL) TEXT$  
3000 LET TEXT$ = 'Content-Type: multipart/mixed; boundary="messagesection"'  
3100 PRINT (EMAIL) TEXT$  
3200 !-----  
3300 LET TEXT$ = ""  
3400 PRINT (EMAIL) TEXT$  
3500 LET TEXT$ = "--messagesection"  
3600 PRINT (EMAIL) TEXT$  
3700 LET TEXT$ = "Content-Type: text/html; charset=us-ascii"  
3800 PRINT (EMAIL) TEXT$  
3900 LET TEXT$ = "Content-Transfer-Encoding: 7bit"  
4000 PRINT (EMAIL) TEXT$  
4100 LET TEXT$ = "Content-Description: Mail message body"  
4200 PRINT (EMAIL) TEXT$  
4300 LET TEXT$ = ""  
4400 PRINT (EMAIL) TEXT$  
4500 LET TEXT$ = "<html>"  
4600 PRINT (EMAIL) TEXT$  
4700 LET TEXT$ = "<head>"  
4800 PRINT (EMAIL) TEXT$  
4900 LET TEXT$ = "</head>"  
5000 PRINT (EMAIL) TEXT$  
5100 LET TEXT$ = "<body>"  
5200 PRINT (EMAIL) TEXT$  
5300 LET TEXT$ = "<p>"  
5400 PRINT (EMAIL) TEXT$  
5500 LET TEXT$ = ''  
5600 PRINT (EMAIL) TEXT$
```

5700 !!!!!LET TEXT\$ = "<h3>San Diego International Airport - Box 12240, "
5800 !!!!!LET TEXT\$ = TEXT\$ + "San Diego, California 92112-2430</h3>"
5900 !!!!!PRINT (EMAIL) TEXT\$
6000 LET TEXT\$ = "<table border=0 width=900>"
6100 PRINT (EMAIL) TEXT\$
6200 LET TEXT\$ = "<tr>"
6300 PRINT (EMAIL) TEXT\$
6400 LET TEXT\$ = "<td>San Diego Offices"
6500 PRINT (EMAIL) TEXT\$
6600 !!!!!LET TEXT\$ = "<td>Los Angeles Offices"
6700 !!!!!PRINT (EMAIL) TEXT\$
6800 LET TEXT\$ = "<tr>"
6900 PRINT (EMAIL) TEXT\$
7000 LET TEXT\$ = "<td>Phone: 619/291-8544 x1"
7100 PRINT (EMAIL) TEXT\$
7200 !!!!!LET TEXT\$ = "<td>Phone: 310/410-9457"
7300 !!!!!PRINT (EMAIL) TEXT\$
7400 LET TEXT\$ = "<tr>"
7500 PRINT (EMAIL) TEXT\$
7600 LET TEXT\$ = "<td>Fax: 619/291-8570"
7700 PRINT (EMAIL) TEXT\$
7800 !!!!!LET TEXT\$ = "<td>Fax: 310/410-0233"
7900 !!!!!PRINT (EMAIL) TEXT\$
8000 LET TEXT\$ = "</tr>"
8100 PRINT (EMAIL) TEXT\$
8200 LET TEXT\$ = "</table>"
8300 PRINT (EMAIL) TEXT\$
8310 !!!!!LET TEXT\$ = "<hr>" ! SPECIAL MESSAGE
8320 !!!!!PRINT (EMAIL) TEXT\$
8330 !!!!!LET TEXT\$ = "Effective March 17th, 2003 the Fuel Surcharge is 5%."
8340 !!!!!PRINT (EMAIL) TEXT\$
8400 LET TEXT\$ = "<hr>"
8500 PRINT (EMAIL) TEXT\$
8600 LET TEXT\$ = "<p>"
8700 PRINT (EMAIL) TEXT\$
8800 LET TEXT\$ = "<pre>"
8900 PRINT (EMAIL) TEXT\$
9000 !

```
100 !----- ^EFOOT -----  
200 LET TEXT$ = "</pre>"  
300 PRINT (EMAIL) TEXT$  
400 LET TEXT$ = "</body>"  
500 PRINT (EMAIL) TEXT$  
600 LET TEXT$ = "</html>"  
700 PRINT (EMAIL) TEXT$  
800 !  
900 USE ' ^VCARD'  
1000 !  
1100 LET TEXT$ = ""  
1200 PRINT (EMAIL) TEXT$  
1300 LET TEXT$ = "--messagesection--"  
1400 PRINT (EMAIL) TEXT$  
1500 LET TEXT$ = ""  
1600 PRINT (EMAIL) TEXT$  
1700 LET TEXT$ = "."  
1800 PRINT (EMAIL) TEXT$  
1900 !
```

```
100 !S -EML, SEX
200 !O EML, SEX
300 !L T01, E
400 !R CED
500 !
600     USE '^CUSTOM'
700 !
800 ! PROGRAM IDENTIFICATION
900 !
1000 ! SOURCE FILE NAME: -EML
1100 ! OBJECT FILE NAME: EML
1200 !
1300 ! TITLE: EMAIL A NOTE
1400 !
1500 ! ENTRY FROM:
1600 ! EXIT TO:
1700 !
1800 !*****
1900 !
2000 !===== PROGRAM VARIABLE DECLARATIVES =====!
2100 !
2200     USE '^COMPASS'
2300 !
2400     LENGTH 1 & LOCAL ANSS, OKS
2500     LENGTH 5 & LOCAL DATS, TIMS, VSNS
2600     LENGTH 12 & LOCAL TEXTFILES
2700     LENGTH 25 & LOCAL TOS, SUBJS
2800     LENGTH 40 & LOCAL TEMAILS, FEMAILS, WEMAILS
2900     LENGTH 80 & LOCAL LINES
3000     LENGTH 80 & LOCAL CTEXTS(13)
3100     LENGTH 250 & LOCAL TEXTS
3200     LENGTH 2.0 & LOCAL CTR
3300 !
3400 0099 FORMAT OKS; WEMAILS
3500 !
3600     USE '^#EMAIL'
3700     USE '^~MAIL'
3800     USE '^~DIR'
3900 !
4000     SET EMAIL = 46
4100     SET EMAN = 47
4200 !
4300 1000 FORMAT TEXTS
4400 !
4500 CS:     FORMAT (CPL80)
4600 SCREEN: FORMAT (SB); _
4700     @(0,0);(BF);@(1,0);DATS;' ':TIMS;@(23);_
4800     "EMAIL A NOTE UTILITY";@(74);VSNS;_
4900     (SB);@(0,1);LINES;_
5000     @(0,2);"From: ";(TP);(SF);FEMAILS;(TP);(SB);(BF);_
5100     @(0,3);"To: ";(TP);(SF);'',26;(SB);(BF);_
5200     @(0,4);"Email: ";(SF);'',41;(SB);(BF);_
5300     @(0,5);"Subject: ";(SF);'',26;(TP);(SB);(BF);_
5400     @(0,6);(BF);_
5500     @(0,7);(BF);_
5600     @(0,8);LINES;_
```

```
5700 (SSB);_
5800 @(34,3);' ' ;_
5900 @(8,4);' ' ;_
6000 @(49,4);' ' ;_
6100 @(8,5);' ' ;_
6200 @(9,2)
6300 SCREEN2: FORMAT_
6400 @(9,2);FEMAILS;_
6500 @(9,3);TOS;_
6600 @(9,4);TEMAILS;_
6700 @(9,5);SUBJS;_
6800 @(9,3)
6900 SCR1:FORMAT TOS;TEMAILS;SUBJS
7000 MSG: FORMAT (SB);@(0,22);LINES;_
7100 @(0,23);(SF);"Enter text, press F10 when done";_
7200 (BF);@(79,21);(TP);@(0,9)
7300 CTEXT: FORMAT CTEXTS(1),13*80
7400 EMSG: FORMAT_
7500 @(0,23);"(S)end, (E)dit, or (C)ancel";(TP);(MC);' ' ;(TP);(BF);(RC)
7600 !
7700 CLRTEXT:FORMAT @(0,9);(BF);(BF);(BF);(BF);(BF);(BF);(BF);(BF);_
7800 (BF);(BF);(BF);(BF);(BF);(SF)
7900 !
8000 !-----!
8100 !
8200 CLEAR LOCAL
8300 ESCAPETO EOJ
8400 USE '^MENUCHK'
8500 !
8600 OPEN (EMAN) '#EMAIL' ! EMAIL MANAGER CONTROL
8700 OPEN (7) 'Z1'
8800 INQUIRE (7,2670) KEY = '*DIR' ! GET TMP DIRECTORY
8900 !
9000 TOP: PRINT (0,CS)
9100 GOSUB 7950 ! GET TIME
9200 LET DAT$ = SUB(DATES,1,2) + "/" + SUB(DATES,3,2)
9300 LET TIM$ = SUB(TIMES,1,2) + ":" + SUB(TIMES,4,2)
9400 LET VSN$ = "03.01"
9500 LET LINES = STRING("@10@",80)
9600 INQUIRE (EMAN,2607) KEY = '*MAIL'
9700 IF STRIP(ENAMES) EQ ''
9800 LET FEMAILS = 'alert' ! DEFAULT RETURN NAME
9900 ELSE
10000 LET FEMAILS = STRIP(ENAMES) ! USER EMAIL NAME
10100 ENDIF
10200 LET FEMAILS = FEMAILS + '@40@' + STRIP(ZEDOMS)
10300 SCR:
10400 PRINT (0,SCREEN)
10500 INPUT (0) FEMAILS
10600 IF FEMAILS EQ '' GOTO EOJ ! NO FROM EMAIL ENTERED
10700 LET PASS$ = FEMAILS
10800 ENTER 'EMEDIT'
10900 INQUIRE (#,0099)
11000 IF OKS EQ 'N' GOTO SCR ! INVALID
11100 LET FEMAILS = WEMAILS
11200 SCR2:
```

```
11300 PRINT (0, SCREEN2)
11400 INPUT (0, SCR1)
11500 IF STRIP(TOS) EQ '' GOTO TOP ! NO TO NAME ENTERED
11600 IF STRIP(TEMAILS) EQ '' GOTO TOP ! NO ADDRESS ENTERED
11700 LET PASS$ = TEMAILS
11800 ENTER 'EMEDIT'
11900 INQUIRE (#, 0099)
12000 IF OKS EQ 'N' GOTO SCR2 ! INVALID
12100 LET TEMAILS = WEMAILS
12200 PRINT (0, SCREEN2) ! REDISPLAY
12300 PRINT (0, CLRTEXT)
12400 SCR3:
12500 PRINT (0, CMSG)
12600 INPUT (0, CTEXT)
12700 SCR4:
12800 PRINT (0, EMSG)
12900 INPUT (0) OKS
13000 LET OKS = UCASE(OKS)
13100 IF OKS EQ 'S' GOTO DOIT ! SEND MESSAGE
13200 IF OKS EQ 'E' GOTO SCR3 ! EDIT MESSAGE
13300 IF OKS EQ 'C' GOTO TOP ! CANCEL MESSAGE
13400 GOTO SCR4 ! INVALID ENTRY
13500 !
13600 DOIT:
13700 EXTRACT (EMAN, 2607) KEY = '*MAIL'
13800 LET ZESEQ = ZESEQ + 1
14000 WRITE (EMAN, 2607) KEY = '*MAIL'
14100 LET EMSEQ$ = SUB(STR(ZESEQ), 2, 6)
14200 LET TEXTFILES = 'E' + EMSEQ$ + '.TXT' ! TEXT FILE
14300 CREATE TEXTFILES, DIR = ZDIRGS
14400 OPEN (EMAIL) TEXTFILES
14500 WRITECONTROL:
14600 LET ZEDOMS = STRIP(ZEDOMS)
14700 LET EMNITS = INITS ! SENDERS INITIALS
14800 LET EMFNAMES = FEMAILS ! SENDERS NAME
14900 LET EMTNAMES = TOS ! TO NAME
15000 LET EMTCOMPS = '' ! TO COMPANY
15100 LET EMTSUBJS = SUBJS ! SUBJECT
15200 LET EMFROMS = FEMAILS ! SENDERS EMAIL
15300 LET EMDATES = SUB(DATES, 1, 2) + '/' ! SUBMIT DATE
15400 LET EMDATES = EMDATES + SUB(DATES, 3, 2) + '/' + LONGYEARS
15500 GOSUB 7950 ! GET TIME
15600 LET EMTIMES = TIMES ! SUBMIT TIME
15700 LET EMSTIMES = '' ! SENT TIME
15800 LET EMSDATES = '' ! SENT DATE
15900 LET EMFTERMS = ITERMS ! SENDERS TERMINAL
16000 LET EMPROGS = 'EML' ! SENDING PROGRAM
16100 LET EMCUST$ = '' ! CUSTOMER NUMBER
16200 LET EMAWBS = '' ! AWB NUMBER
16300 LET EMSTATUS$ = '' ! STATUS
16400 LET EMTOS = STRIP(TEMAILS) ! SEND TO ADDRESS
16500 LET EMREFS = ''
16600 !
16700 USE '^EHEAD' ! EMAIL HEADER RECORDS
16800 !
16900 FOR CTR = 1 TO 13 ! CLEAR FIELDS
```

DATE: 05/04/10
TIME: 1:58 PM

File: -EML, SEX

Page 4

```
17000      LET TEXTS = CTEXTS(CTR)
17100      PRINT (EMAIL) TEXTS          ! WRITE OUT COMMENTS
17200      NEXT CTR
17300 !
17400      USE '^EFOOT'                 ! EMAIL FOOTER RECORDS
17500 !
17600      CLOSE (EMAIL)                ! RELEASE FILE
17700      WRITE (EMAN, 0510) KEY = EMSEQS ! WRITE CONTROL RECORD
17710      EXTRACT (EMAN, 2607) KEY = '*MAIL'
17720      LET ZWAIT = 0                 ! RESET MANAGER WAIT
17730      WRITE (EMAN, 2607) KEY = '*MAIL'
17800      GOTO TOP
17900 !
18000 7950!
18100      USE '^7950'
18200 !
18300 EOJ:
18400 !
18500      RUN MENUS
18600 !
18700      END
```